ASTM Bulletin Index

Author Index

(*R*) denotes 10 or more references.

A

Adams, F. W.
See Gardiner, K. W., Jordan, T. F., and Adams, F. W.

Ailor, W. H., and Hodgson, M. R.
Punch Card Handling of Atmospheric Test Data, No. 250, Dec., 45 (TP 223).

Ast, P. F.
A More Sensitive Test Method for Determining the Dielectric Strength of Insulating Oils, No. 250, Dec., 36 (TP 214).

Axelson, J. S., and Precopio, F. M.
A Reliable Technique for Measuring Brush Wear in an Atmosphere Containing Silicone Vapor, No. 244, Feb., 40 (TP 44).

B

Baker, W. O.
The Meaning of Measurement, ACR notes, No. 245, April, 42.

Bata, G. L., and Ito, M.
Additional Variables in the Brittleness Temperature Testing of Polyethylene, No. 248, Sept., 55 (TP 165) (Technical Note).

Begovich, C.
Measuring the Roughness Factor of a Small Steel Disk, No. 248, Sept., 56 (TP 166) (Technical Note).

Birks, A. M., and Rudin, A.
Measurement of the Brittleness Temperature of Polyethylene, No. 246, May, 49 (TP 109).

Bloem, D.
Discussion, No. 243, Jan., 68 (TP 26).

Boor, L., Hanok, M., Conant, F., and Scoville, W., Jr.
Rheological Testing of Elastomers at Low Temperatures. Part II, No. 246, May, 25 (TP 85) (*R*).

Boor, L.
Hardness, Abrasion, and Wear Resistance Testing of Plastics, No. 244, Feb., 43 (TP 47). (*R*).

Brunberg, W. C.
Standardization and the Purchaser, No. 249, Oct., 6.

Burkhard, H.
See Dorion, G. H., Burkhard, H., and White, M.

Burns, R.
In Defense of Committees, No. 246, May, 24.

C

Caryl, C. R.
The Langley as a Unit for Timing Outdoor Exposures, No. 243, Jan., 55 (TP 13) (*R*).

Catton, N. L., Edwards, R. C., and Loring, T. M.
A Practical Method of Classifying All Elastomeric Vulcanizates, No. 243, Jan., 69 (TP 27).

Childs, J. K.
See Lemcoe, M. M., and Childs, J. K.

Clarke, F. E.
Old Wine in New Bottles. A New Look at the Substance, Water, No. 243, Jan., 17.

Conant, F.
See Boor, L., Hanok, M., Conant, F., and Scoville, W., Jr.

Corah, H. J.
See DeFore, M. R., and Corah, H. J.

Crooks, R. D.
Discussion, No. 243, Jan., 54 (TP 12).

Crowe, C. H.
Properties of Some Copper Alloys at Elevated Temperatures, No. 250, Dec., 30 (TP 208).

Cummings, J. D.
See Gohn, G. R., and Cummings, J. D.

Cummings, R.
Use of a Modified MacMichael Viscometer for Consistency of Printing Inks and Ink Vehicles, No. 250, Dec., 49 (TP 227).

Cummins, E. W.
Discussion, No. 243, Jan., 68 (TP 26).

D

David, R. M.
See Mears, T. W., David, R. M., and Howard, F. L.

DeFore, M. R., and Corah, H. J.
A Test Method for Air-Entrainment of Standard Ottawa Sand, No. 248, Sept., 48 (TP 162).

Dorion, G. H., Burkhard, H., and White, M.
The Permeability of Sand Stabilized with a Chemical Grout, No. 250, Dec., 34 (TP 212).

Dunlap, L. A.
See Plitt, K. F., and Dunlap, L. A.

E

Edwards, R. C.
See Catton, N. L., Edwards, R. C., and Loring, T. M.

F

Feild, A. L., Jr., and Peckham, V. A., Jr.
High-Temperature Vacuum Equipment for Treatment of Reactive and Refractory Metals, No. 244, Feb., 34 (TP 38).

Ford, C. L.
A Gravimetric Method for the Determination of Barium Oxide in Portland Cement No. 247, July, 77 (TP 143).
A Short Method for the Flame Photometric Determination of Magnesium, Manganic, Sodium, and Potassium Oxides in Portland Cement, No. 250, Dec., 25 (TP 203).
The Gravimetric Determination of Strontium Oxide in Portland Cement, No. 245, April, 71 (TP 77).

Furby, N. W., and Hanly, F. J.
Development of Improved Insulating Oils, No. 248, Sept., 41 (TP 155) (*R*).

G

Gardiner, K. W., Jordan, T. F., and Adams, F. W.
A Vicat-Type Penetration Tester for Evaluating Hardness and Elastic Recovery in Polymeric Materials, No. 246, May, 38 (TP 98).

Gohn, G. R., and Cummings, J. D.
Creep Characteristics of Compression-Molded Polyethylene, No. 247, July, 64 (TP 130).

H

Hall, R. C., and Rhodes, J. M.
Movement of Sodium with Water in Neat Portland Cement, No. 245, April, 66 (TP 72).

Hanly, F. J.
See Furby, N. W., and Hanly, F. J.

Hanok, M.
See Boor, L., Hanok, M., Conant, F., and Scoville, W., Jr.

Heinemann, R. W.
See Noonan, J. P., Heinemann, R. W., Lowell, S. J., and Tweed, P. B.

Higginson, E. C., and Wallace, G. B.
Control Testing for Separation of Lightweight Material from Aggregate, No. 243, Jan., 60 (TP 18). Disc., 68 (TP 26).

Hime, W. G.
Discussion, No. 245, April, 78 (TP 84).

Hodgson, M. R.
See Ailor, W. H., and Hodgson, M. R.

Hosking, J. S.
See Waters, E. H., Hosking, J. S., and Hueber, H. V.

Howard, F. L.
See Mears, T. W., David, R. M., and Howard, F. L.

Hueber, H. V.
See Waters, E. H., Hosking, J. S., and Hueber, H. V.

Hveem, F. N.
ASTM Standards for Highway Materials, No. 249, Oct., 8.

I

Ito, M.
See Bata, G. L., and Ito, M.

J

Jordan, T. F.
See Gardiner, K. W., Jordan, T. F., and Adams, F. W.

K

Kitago, S., and Kozaki, F.
The Measurement of Relative Density of Sand, No. 248, Sept., 36 (TP 150). Disc., 40 (TP 154).

Kopituk, R.
A Method for Determining the Impact Sensitivity Characteristics of Materials with Highly Reactive Oxidizers, No. 250, Dec., 51, (TP 229) (Disc.).

Kozaki, F.
See Kitago, S., and Kozaki, F.

Kuntze, R. A.
An Improved Method for the Determination of the Normal Consistency of Gypsum Plasters, No. 246, May, 35 (TP 95).

L

Lee, H.
Compatibility of Magnet Wire Insulations and Epoxy Encapsulating Resins, No. 247, July, 69 (TP 135) (*R*).

Lemcoe, M. M., and Childs, J. K.
Design Criteria for 6 Al-4V Titanium Alloy at Room and Elevated Temperatures, No. 246, May, 41 (TP 101) (*R*).

Loring, T. M.
See Catton, N. L., Edwards, R. C., and Loring, T. M.

Lowell, S. J.
See Noonan, J. P., Heinemann, R. W., Lowell, S. J., and Tweed, P. B.

Lucas, W. R., and Riehl, W. A.
An Instrument for Determination of Impact Sensitivity of Materials in Contact with Liquid Oxygen, No. 244, Feb., 29 (TP 33).

M

Makerov, C. E.
See Steidel, R. F., Jr., and Makerov, C. E.

ASTM Bulletin Index

Author Index

(*R*) denotes 10 or more references.

A

Adams, F. W.
See Gardiner, K. W., Jordan, T. F., and Adams, F. W.

Ailor, W. H., and Hodgson, M. R.
Punch Card Handling of Atmospheric Test Data, No. 250, Dec., 45 (TP 223).

Ast, P. F.
A More Sensitive Test Method for Determining the Dielectric Strength of Insulating Oils, No. 250, Dec., 36 (TP 214).

Axelson, J. S., and Precopio, F. M.
A Reliable Technique for Measuring Brush Wear in an Atmosphere Containing Silicone Vapor, No. 244, Feb., 40 (TP 44).

B

Baker, W. O.
The Meaning of Measurement, ACR notes, No. 245, April, 42.

Bata, G. L., and Ito, M.
Additional Variables in the Brittleness Temperature Testing of Polyethylene, No. 248, Sept., 55 (TP 165) (Technical Note).

Begovich, C.
Measuring the Roughness Factor of a Small Steel Disk, No. 248, Sept., 56 (TP 166) (Technical Note).

Birks, A. M., and Rudin, A.
Measurement of the Brittleness Temperature of Polyethylene, No. 246, May, 49 (TP 109).

Bloem, D.
Discussion, No. 243, Jan., 68 (TP 26).

Boor, L., Hanok, M., Conant, F., and Scoville, W., Jr.
Rheological Testing of Elastomers at Low Temperatures. Part II, No. 246, May, 25 (TP 85) (*R*).

Boor, L.
Hardness, Abrasion, and Wear Resistance Testing of Plastics, No. 244, Feb., 43 (TP 47). (*R*).

Brunberg, W. C.
Standardization and the Purchaser, No. 249, Oct., 6.

Burkhard, H.
See Dorion, G. H., Burkhard, H., and White, M.

Burns, R.
In Defense of Committees, No. 246, May, 24.

C

Caryl, C. R.
The Langley as a Unit for Timing Outdoor Exposures, No. 243, Jan., 55 (TP 13) (*R*).

Catton, N. L., Edwards, R. C., and Loring, T. M.
A Practical Method of Classifying All Elastomeric Vulcanizates, No. 243, Jan., 69 (TP 27).

Childs, J. K.
See Lemcoe, M. M., and Childs, J. K.

Clarke, F. E.
Old Wine in New Bottles. A New Look at the Substance, Water, No. 243, Jan., 17.

Conant, F.
See Boor, L., Hanok, M., Conant, F., and Scoville, W., Jr.

Corah, H. J.
See DeFore, M. R., and Corah, H. J.

Crooks, R. D.
Discussion, No. 243, Jan., 54 (TP 12).

Crowe, C. H.
Properties of Some Copper Alloys at Elevated Temperatures, No. 250, Dec., 30 (TP 208).

Cummings, J. D.
See Gohn, G. R., and Cummings, J. D.

Cummings, R.
Use of a Modified MacMichael Viscometer for Consistency of Printing Inks and Ink Vehicles, No. 250, Dec., 49 (TP 227).

Cummins, E. W.
Discussion, No. 243, Jan., 68 (TP 26).

D

David, R. M.
See Mears, T. W., David, R. M., and Howard, F. L.

DeFore, M. R., and Corah, H. J.
A Test Method for Air-Entrainment of Standard Ottawa Sand, No. 248, Sept., 48 (TP 162).

Dorion, G. H., Burkhard, H., and White, M.
The Permeability of Sand Stabilized with a Chemical Grout, No. 250, Dec., 34 (TP 212).

Dunlap, L. A.
See Plitt, K. F., and Dunlap, L. A.

E

Edwards, R. C.
See Catton, N. L., Edwards, R. C., and Loring, T. M.

F

Feild, A. L., Jr., and Peckham, V. A., Jr.
High-Temperature Vacuum Equipment for Treatment of Reactive and Refractory Metals, No. 244, Feb., 34 (TP 38).

Ford, C. L.
A Gravimetric Method for the Determination of Barium Oxide in Portland Cement No. 247, July, 77 (TP 143).
A Short Method for the Flame Photometric Determination of Magnesium, Manganic, Sodium, and Potassium Oxides in Portland Cement, No. 250, Dec., 25 (TP 203).
The Gravimetric Determination of Strontium Oxide in Portland Cement, No. 245, April, 71 (TP 77).

Furby, N. W., and Hanly, F. J.
Development of Improved Insulating Oils, No. 248, Sept., 41 (TP 155) (*R*).

G

Gardiner, K. W., Jordan, T. F., and Adams, F. W.
A Vicat-Type Penetration Tester for Evaluating Hardness and Elastic Recovery in Polymeric Materials, No. 246, May, 38 (TP 98).

Gohn, G. R., and Cummings, J. D.
Creep Characteristics of Compression-Molded Polyethylene, No. 247, July, 64 (TP 130).

H

Hall, R. C., and Rhodes, J. M.
Movement of Sodium with Water in Neat Portland Cement, No. 245, April, 66 (TP 72).

Hanly, F. J.
See Furby, N. W., and Hanly, F. J.

Hanok, M.
See Boor, L., Hanok, M., Conant, F., and Scoville, W., Jr.

Heinemann, R. W.
See Noonan, J. P., Heinemann, R. W., Lowell, S. J., and Tweed, P. B.

Higginson, E. C., and Wallace, G. B.
Control Testing for Separation of Lightweight Material from Aggregate, No. 243, Jan., 60 (TP 18). Disc., 68 (TP 26).

Hime, W. G.
Discussion, No. 245, April, 78 (TP 84).

Hodgson, M. R.
See Ailor, W. H., and Hodgson, M. R.

Hosking, J. S.
See Waters, E. H., Hosking, J. S., and Hueber, H. V.

Howard, F. L.
See Mears, T. W., David, R. M., and Howard, F. L.

Hueber, H. V.
See Waters, E. H., Hosking, J. S., and Hueber, H. V.

Hveem, F. N.
ASTM Standards for Highway Materials, No. 249, Oct., 8.

I

Ito, M.
See Bata, G. L., and Ito, M.

J

Jordan, T. F.
See Gardiner, K. W., Jordan, T. F., and Adams, F. W.

K

Kitago, S., and Kozaki, F.
The Measurement of Relative Density of Sand, No. 248, Sept., 36 (TP 150). Disc., 40 (TP 154).

Kopituk, R.
A Method for Determining the Impact Sensitivity Characteristics of Materials with Highly Reactive Oxidizers, No. 250, Dec., 51, (TP 229) (Disc.).

Kozaki, F.
See Kitago, S., and Kozaki, F.

Kuntze, R. A.
An Improved Method for the Determination of the Normal Consistency of Gypsum Plasters, No. 246, May, 35 (TP 95).

L

Lee, H.
Compatibility of Magnet Wire Insulations and Epoxy Encapsulating Resins, No. 247, July, 69 (TP 135) (*R*).

Lemcoe, M. M., and Childs, J. K.
Design Criteria for 6 Al-4V Titanium Alloy at Room and Elevated Temperatures, No. 246, May, 41 (TP 101) (*R*).

Loring, T. M.
See Catton, N. L., Edwards, R. C., and Loring, T. M.

Lowell, S. J.
See Noonan, J. P., Heinemann, R. W., Lowell, S. J., and Tweed, P. B.

Lucas, W. R., and Riehl, W. A.
An Instrument for Determination of Impact Sensitivity of Materials in Contact with Liquid Oxygen, No. 244, Feb., 29 (TP 33).

M

Makerov, C. E.
See Steidel, R. F., Jr., and Makerov, C. E.

March, J. L., Ruprecht, W. J., and Reed, G.
Machining of Notched Tension Test Specimens, No. 244, Feb., 52 (TP 56).
Mark, H. F.
New Polymers—New Problems (Thirty-third Edgar Marburg Lecture), No. 245, April, 31.
Mather, B.
Discussion, No. 243, Jan., 68 (TP 26).
McAvoy, T.
A New Calibration Technique for Gas Transmission Measuring Apparatus, No. 243, Jan., 52 (TP 10).
McCoy, P.
Sound Standards Stimulate Manufacturing, No. 248, Sept., 5.
McPherson, A. T.
Plan for the Self-Qualification of Laboratories, No. 246, May, 17.
What Price Accurate Test Methods?, (ACR notes), No. 244, Feb. 7.
Mears, T. W., David, R. M., and Howard, F. L.
The Use of 2,2,4,4,6,8,8-Heptamethylnonane as a Primary Diesel Fuel, No. 245, April, 75 (TP 81) (*R*).
Mertens, E. W.
Predicting Weatherability of Coating Grade Asphalts from Asphaltene Characteristics No. 250, Dec., 40 (TP 218).
Michaels, A. I., Weaver, T. L., and Nelson, R. C.
Effect of Dispersion Techniques Upon the Measured Particle Size and Distribution of Tungsten Powder, No. 247, July, 74 (TP 140).

N

Nelson, R. C.
See Michaels, A. I., Weaver, T. L., and Nelson, R. C.
Nelson, R. C., and Rhodes, R. H.
Testing Machine Attachment Permits Straightness Measurements on Fine Wire, No. 244, Feb., 56 (TP 60) (Technical Note).
Noonan, J. P., Heinemann, R. W., Lowell, S. J., and Tweed, P. B.
Devices for Simulating Gun Firing Under Static Conditions, No. 248, Sept., 33 (TP 147).

O

O'Kelly, B. M.
Portable Adhesion Testing Device, No. 250, Dec., 32 (TP 210).

P

Peckham, V. A., Jr.
See Feild, A. L., Jr., and Peckham, V. A., Jr.
Plitt, K. F., and Dunlap, L. A.
A Technique for Gripping High-Strength Fabrics During Physical Tests, No. 246, May, 33 (TP 93).
Precopio, F. M.
See Axelson, J. S., and Precopio, F. M.

R

Reed, G.
See March, J. L., Ruprecht, W. J., and Reed, G.
Rhodes, J. M.
See Hall, R. C., and Rhodes, J. M.
Rhodes, R. H.
See Nelson, R. C., and Rhodes, R. H.
Riehl, W. A.
See Lucas, W. R., and Riehl, W. A.
Roberts, A. G.
Improved NBS Abrasive Jet Method for Measuring Abrasion Resistance of Coatings, No. 244, Feb., 48 (TP 52).
Robinson, W. M.
An Alignment Block and Clamp for Capillary Viscometers, No. 245, April, 69 (TP 75) (Technical Note).
A Reverse-Flow Viscometer, No. 246, May, 40 (TP 100). (Technical Note).
Royen, M.
A Study of the Accelerated Aging of Vinyl Plastic Compounds in Modified Testing Oven, No. 243, Jan., 43 (TP 1).
Rudin, A.
See Birks, A. M., and Rudin, A.
Rudin, A., and Birks, A. M.
Measurement of Environmental Stress-Cracking of Polyethylene, No. 245, April, 60 (TP 66).
Ruprecht, W. J.
See March, J. L., Ruprecht, W. J., and Reed, G.

S

Schjodt, R.
Measurements of Human Reaction to Hardness of Floor Covering, No. 247, July, 53 (TP 119) (*R*).
Scott, A.
Urges Larger U. S. Effort in International Standardization, No. 249, Oct., 10.
Scoville, W., Jr.
See Boor, L., Hanok, M., Conant, F., and Scoville, W., Jr.
Sereda, P. J.
Measurement of Surface Moisture and Sulfur Dioxide Activity at Corrosion Sites, No. 246, May, 47 (TP 107).
Shobert, E. I., II
Improving Secondary Education in Science (ACR notes), No. 246, May, 7.
Shuttleworth, C. G.
Discussion, No. 243, Jan., 51 (TP 9).
Sisco, F. T.
The Pendulum Swings On (ACR notes), No. 248, Sept., 18.
Smith, W. J.
The Labor of Technical Writing (ACR notes), No. 250, Dec., 12.
Speight, F. Y.
Materials Research for Defense, No. 250, Dec., 6.
Squires, F. H.
From Certainty to Statistics, No. 243, Jan., 27.
Steidel, R. F., Jr., and Makerov, C. E.
The Tensile Properties of Some Engineering Materials at Moderate Rates of Strain, No. 247, July, 57 (TP 123).

T

Tweed, P. B.
See Noonan, J. P., Heinemann, R. W., Lowell, S. J., and Tweed, P. B.

W

Wallace, G. B.
See Higginson, E. C., and Wallace, G. B.
Waters, E. H., Hosking, J. S., and Hueber, H. V.
Tests for Potential and Past Moisture Expansion of Ceramic Building Units, No. 245, April, 55 (TP 61) (*R*).
Weaver, T. L.
See Michaels, A. I., Weaver, T. L., and Nelson, R. C.
Westbrook, J. H.
An Improved Microhardness Tester for High-Temperature Use, No. 246, May, 53 (TP 113).
White, M.
See Dorion, G. H., Burkhard, H., and White, M.
Woolf, D. O.
Discussion, No. 243, Jan., 68 (TP 26).

Y

Young, J. F.
Metallurgy for Non-Metallurgical Engineers?, No. 244, Feb., 15.

Subject Index

A

Abrasion
resistance of plastics, testing (Boor), No. 244, Feb., 43 (TP 47).
resistance of coatings, method for measuring (Roberts), No. 244, Feb., 48 (TP 52).
Accuracy
what price test methods (McPherson), No. 244, Feb., 7. (ACR notes).
ACR Notes
what price accurate test methods (McPherson), No. 244, Feb., 7.
meaning of measurement (Baker), No. 245, April, 42.
improving secondary education in science (Schobert), No. 246, May, 7.
the pendulum swings on (metallurgy) (Sisco), No. 248, Sept., 18.
the labor of technical writing (Smith), No. 250, Dec., 12.
Adhesives
portable testing device for (O'Kelly), No. 250, Dec. 32 (TP 210).
Aggregate
concrete, separation of lightweight material from (Higginson and Wallace), No. 243, Jan., 60 (TP 18).
Aging
accelerated, of vinyl plastic compounds (Royen), No. 243, Jan., 43 (TP 1).
Air-Entrainment
of standard Ottawa sand, test method for (DeFore and Corah), No. 248, Sept., 48 (TP 162).
Asphalts
coating grade, predicting weatherability from asphaltene characteristics (Mertens), No. 250, Dec. 40 (TP 218).
ASTM
annual meeting
awards of merit, No. 247, July, 22.
committee, technical, new officers for 1960, No. 248, Sept., 20.
honorary members elected, No. 247, July, 21.
Marburg lecture, thirty-third (Mark), No. 245, April, 31.
Marburg and Gillett lecturers, No. 245, April, 10.
medals and awards, No. 247, July, 28.
new national officers, No. 247, July, 18.
new tentatives and standards, No. 247, July, 31.
photographic exhibit, 1960 prize winners, No. 248, Sept., 16.
president's address, international aspects of ASTM (LaQue), No. 247, July, 7.
preview, No. 243, Jan., 26; No. 244, Feb., 5; No. 246, May, 5.
provisional program, No. 245, April, 18.
sessions and symposia, No. 247, July, 9.
testing apparatus exhibit, No. 245, April, 11.
fellowship program, grants, No. 244, Feb., 14; No. 245, April, 37.
finances—1959, No. 244, Feb., 8.
headquarters staff
Marshall, T. A., named new executive secretary, No. 249, Oct., 5.
Painter, R. J., given sick leave, No. 244, Feb., 14; No. 245, April, 35.
publications 1960–1961, No. 249, Oct., 12.
review of the year 1959, No. 243, Jan., 5.
role in occupational safety (Mochel), No. 246, May, 13.
Atmospheric Testing
punch card handling of data (Ailor and Hodgson), No. 250, Dec., 45 (TP 223).
Awards
citations for quality of presentation, 1959, No. 247, July, 15.
committee D-12, to A. M. Schwartz, No. 245, April, 41.
Harold De Witt Smith, to W. von Bergen, No. 245, April, 46.
honorary membership, No. 247, July, 21.
medals and awards, No. 247, July, 28.
SES-ASTM, 1959, No. 243, Jan., 42.

B

Barium Oxide
in portland cement, gravimetric method for determination of (Ford), No. 247, July, 77 (TP 143).

Brick
panels, moisture penetration of (Ritchie and Plewes), No. 249, Oct., 39 (TP 183).
Brittleness Temperature
of polyethylene, measurement of (Birks and Rudin), No. 246, May, 49 (TP 109).
of polyethylene, test for (Bata and Ito), No. 248, Sept., 55 (TP 165).
Brushes
carbon, technique for measuring wear in an atmosphere containing silicone vapor (Axelson and Precopio), No. 244, Feb., 40 (TP 44).

C

Cement, portland
flame photometric method to determine magnesium, manganic, sodium, and potassium oxides in (Ford), No. 250, Dec. 25 (TP 203).
movement of sodium in (Hall and Rhodes), No. 245, April, 66 (TP 72).
gravimetric determination of strontium oxide in (Ford), No. 245, April, 71 (TP 77).
gravimetric method for determination of barium oxide in (Ford), No. 247, July, 77 (TP 143).
Ceramic
building units, potential and past moisture expansion, tests for (Waters, Hosking, and Hueber), No. 245, April, 55 (TP 61).
Classification
of elastomeric vulcanizates, method for (Catton, Edwards, and Loring), No. 243, Jan., 69 (TP 27).
Coatings
abrasion resistance of, method for measuring (Roberts), No. 244, Feb., 48 (TP 52).
Combustion Characteristics
of diesel fuel, use of 2,2,4,4,6,8,8-heptamethylnonane as primary reference (Mears, David, and Howard), No. 245, April, 75 (TP 81).
Committees
in defense of (Burns), No. 246, May, 24.
new officers for ASTM technical, No. 248, Sept., 20.
Concrete
aggregate, separation of lightweight material from (Higginson and Wallace), No. 243, Jan., 60 (TP 18).
Copper Alloys
properties at elevated temperatures (Crowe), No. 250, Dec. 30 (TP 208).
Corrosion
sulfur dioxide activity and surface moisture at corrosion sites, measurement of (Sereda), No. 246, May, 47 (TP 107).
Cracking
of polyethylene under stress, environmental, measurement of (Rudin and Birks), No. 245 April, 60 (TP 66).
Creep
anelastic, effect of temperature interruption on (Disc.), No. 243, Jan., 54 (TP 12).
elastomers, rheological testing of, at low temperatures (Boor, Hanok, Conant, and Scoville), No. 246, May, 25 (TP 85).
properties of compression-molded polyethylene (Gohn and Cummings), No. 247, July, 64 (TP 130).

D

Data Centers
are they the answer?, No. 246, May, 14.
Defense
materials research for (Speight), No. 250, Dec., 6.
Density
relative, of sand, measurement of (Kitago and Kozaki), No. 248, Sept., 36 (TP 150).
Detonation
impact, materials in contact with liquid oxygen, instrument for testing sensitivity to (Lucas and Riehl), No. 244, Feb., 29 (TP 33).
De Witt Smith Medal
to W. von Bergen, 1960, No. 245, April, 46.
Dielectric Strength
determination of, insulating oil (Ast), No. 250, Dec., 36 (TP 214).

E

Education
secondary, improving science in (Shobert), No. 246, May, 7 (ACR notes).
Elastomers
method for classifying (Catton, Edwards, and Loring), No. 243, Jan., 69 (TP 27).
rheological testing of, at low temperatures (Boor, Hanok, Conant, and Scoville), No. 246, May, 25 (TP 85).
Elevated Temperature
properties of copper alloys (Crowe), No. 250, Dec. 30 (TP 208).
Expansion
moisture, potential and past, of ceramic building units, tests for (Waters, Hosking, and Hueber), No. 245, April, 55 (TP 61).
Exposure Testing
outdoor, Langley as a unit for timing (Caryl), No. 243, Jan., 55 (TP 13).

F

Fabrics
gripping of, during physical tests, technique for (Plitt and Dunlap), No. 246, May, 33 (TP 93).
Fatigue Testing
high-temperature, vacuum, axial, testing machine (Stephens and Sinclair), No. 249, Oct., 44 (TP 188).
Finances
ASTM, 1959, No. 244, Feb., 8.
Flexural Strength
phenolic moldings (Elmer and Harrington), No. 249, Oct., 35 (TP 179).
Floor Covering
hardness of, measurement of human reaction to (Schjodt), No. 247, July, 53 (TP 119).
Fluids, Hydraulic
disiloxane-base, thermal stability of (Willard), No. 249, Oct., 52 (TP 196).
Fracture Testing
sheet materials, high-strength (report of special ASTM committee), No. 243, Jan., 29; No. 244, Feb., 18.
Fuel
diesel, use of 2,2,4,4,6,8,8-heptamethylnonane as primary reference (Mears, David, and Howard), No. 245, April, 75 (TP 81).

G

Glass
research at the National Bureau of Standards, No. 247, July, 45.
Grout
chemical, permeability of sand stabilized with (Dorion, Burkhard, and White), No. 250, Dec. 34 (TP 212).
Gun Firing
devices for simulating, under static conditions (Noonan, Heinemann, Lowell, and Tweed), No. 248, Sept., 33 (TP 147)
Gypsum Plaster
normal consistency of, method for determination (Kuntze), No. 246, May, 35, (TP 95).
physical changes in setting (Disc.), No. 243, Jan., 51 (TP 9).

H

Hardness
microhardness tester for high-temperature use (Westbrook), No. 246, May, 53 (TP 113).
of floor coverings, measurement of human reaction to (Schjodt), No. 247, July, 53 (TP 119).
of plastics, testing (Boor), No. 244, Feb., 43 (TP 47).
polymeric materials, penetration tester for measuring (Gardiner, Jordan, and Adams), No. 246, May, 38 (TP 98).
SAE 4340 steel, low-temperature, correlation with tensile strength (Nunes and Larson), No. 249, Oct., 25 (TP 169).
Heptamethylnonane
use as a primary reference diesel fuel (Mears, David, and Howard), No. 245, April, 75 (TP 81).
High Temperature
tester for microhardness (Westbrook), No. 246, May, 53 (TP 113).
vacuum, axial fatigue testing machine (Stephens and Sinclair), No. 249, Oct., 44 (TP 188).
vacuum equipment for treatment of reactive and refractory metals (Feild and Peckham), No. 244, Feb., 34 (TP 38).
Honorary Membership
ASTM, No. 247, July, 21.
Hydraulic Fluids
disiloxane-base, thermal stability of (Willard), No. 249, Oct., 52 (TP 196).

I

Ignition Characteristics
of diesel fuel, use of 2,2,4,4,6,8,8-heptamethylnonane as primary reference (Mears, David, and Howard), No. 245, April, 75 (TP 81).
Impact
phenolic moldings (Elmer and Harrington), No. 249, Oct., 35 (TP 179).
sensitivity, determining characteristics of materials with highly reactive oxidizers (Kopituk), No. 250, Dec. 52 (TP 229).
sensitivity to detonation of materials in contact with liquid oxygen, instrument for testing (Lucas and Riehl), No. 244, Feb., 29 (TP 33).
tensile properties of metals (Steidel and Makerov), No. 247, July, 57 (TP 123).
Inks
printing, and ink vehicles, modified MacMichael viscometer to determine consistency of (Cummings) No. 250, Dec., 49 (TP 227).
Insulation
magnet wire, compatibility of with epoxy encapsulating resins (Lee), No. 247, July, 69 (TP 135).
oils, insulating, development of (Furby and Hanly), No. 248, Sept., 41 (TP 155).

L

Laboratories
plan for the self-qualification of (McPherson) No. 246, May, 17.
Lamination Factor
of small steel disk, correlation with roughness factor (Begovich), No. 248, Sept., 56 (TP 166).
Langley
unit for timing outdoor exposures (Caryl), No. 243, Jan. 55 (TP 13).
Latex
paints, permeability to water (Simon), No. 249, Oct., 48 (TP 192).
Lectures
Gillett (8th), nuclear fuel element development (Dalzell), No. 245, April, 10; No. 247, July, 5.
Marburg (34th, solar energy) (Daniels), No. 245, April, 10; No. 247, July, 5.
Lightfastness
of pigment colors, testing of (Spengeman and Wormald), No. 249, Oct., 29 (TP 173).

M

Masonry
brick panels, moisture penetration of (Ritchie and Plewes), No. 249, Oct., 39 (TP 183).
ceramic, potential and past moisture expansion, tests for (Waters, Hosking, and Hueber), No. 245, April, 55, (TP 61).
Materials Research
for defense (Speight), No. 250, Dec., 6.
Measurement
the meaning of (Baker), No. 245, April, 42. (ACR notes).
Meetings
annual meeting, see ASTM
committee week (1960), near-record, in Chicago, No. 245, April, 45.
preview, 1961 meeting in Cincinnati, Ohio, Jan. 30–Feb. 3, No. 250, Dec., 5.
Metallurgy
the pendulum swings on (Sisco), No. 248, Sept., 18. (ACR notes).
Metals
tensile impact properties of (Steidel and Makerov), No. 247, July, 57 (TP 123).
Microhardness
tester for high-temperature use (Westbrook), No. 246, May, 53 (TP 113).
Moisture
penetration of brick masonry panels (Ritchie and Plewes), No. 249, Oct., 39 (TP 183).

surface, at corrosion sites, measurement of (Sereda), No. 246, May, 47 (TP 107).
National Bureau of Standards
glass research at, No. 247, July, 45.

O

Officers
national ASTM, elected 1960, No. 247, July, 18.
technical committee, elected 1960, No. 248, Sept., 20.
retired ASTM committee, No. 248, Sept., 14.
Oils
insulating, determination of dielectric strength (Ast), No. 250, Dec., 36 (TP 214).
insulating, development of (Furby and Hanly), No. 248, Sept., 41 (TP 155).
Oxides
magnesium, manganic, sodium, and potassium, in portland cement, by flame photometry (Ford), No. 250, Dec., 25 (TP 203).
Oxidizers
highly reactive, method to determine impact sensitivity of materials with (Kopituk), No. 250, Dec., 51 (TP 229).
Oxygen
liquid, sensitivity to detonation of materials in contact with, instrument for testing (Lucas and Riehl), No. 244, Feb., 29 (TP 33).

P

Paint
latex, permeability to water (Simon), No. 249, Oct., 48 (TP 192).
Particle Size
and dispersion of tungsten powder, effect of dispersion techniques (Michaels, Weaver, and Nelson), No. 247, July, 74 (TP 140).
Penetration Tester
for measuring hardness of polymeric materials (Gardiner, Jordan, and Adams), No. 246, May, 38 (TP 98).
Permeability
plastics, calibration technique for measuring apparatus (McAvoy), No. 243, Jan., 52 (TP 10).
sand stabilized with a chemical grout (Dorion, Burkhard, and White), No. 250, Dec., 34 (TP 212).
to water, of latex paints (Simon), No. 249, Oct., 48 (TP 192).
Phenolic
moldings, flexural and impact strength (Elmer and Harrington), No. 249, Oct., 35 (TP 179).
Photographic Exhibit
ASTM, 1960 prize winners, No. 248, Sept., 16.
Photometry
flame, to determine magnesium, manganic, sodium, and potassium oxides in portland cement (Ford), No. 250, Dec., 25 (TP 203).
Pigments
lightfastness testing of (Spengeman and Wormald), No. 249, Oct., 29 (TP 173).
Plaster
gypsum, normal consistency of, method for determination (Kuntze), No. 245, May, 35 (TP 95).
gypsum, physical changes in setting (Disc.), No. 243, Jan., 51 (TP 9).
Plastics
accelerated aging of vinyl plastic compounds (Royen), No. 243, Jan., 43 (TP 1).
compatibility of magnet wire insulations and epoxy encapsulating resins (Lee), No. 247, July, 69 (TP 135).
hardness, abrasion, and wear resistance, testing (Boor), No. 244, Feb., 43 (TP 47).
penetration tester for measuring hardness of polymeric materials (Gardiner, Jordan, and Adams), No. 246, May, 38 (TP 98).
permeability, calibration technique for measuring apparatus (McAvoy), No. 243, Jan., 52 (TP 10).
phenolic moldings, flexural and impact strength (Elmer and Harrington), No. 249, Oct., 35 (TP 179).
polyethylene, brittleness temperature, test for (Bata and Ito), No. 248, Sept., 55 (TP 165).
polyethylene, compression-molded, creep characteristics of (Gohn and Cummings), No. 247, July 64 (TP 130).
polyethylene, environmental stress-cracking, measurement of (Rudin and Birks), No. 245, April, 60 (TP 66).
polyethylene, measurement of brittleness temperature (Birks and Rudin), No. 246, May, 49 (TP 109).
Polyethylene
brittleness temperature, measurement of (Birks and Rudin), No. 246, May, 49 (TP 109).
brittleness temperature, test for (Bata and Ito), No. 248, Sept., 55 (TP 165).
compression-molded, creep characteristics of (Gohn and Cummings), No. 247, July, 64 (TP 130).
environmental stress-cracking, measurement of (Rudin and Birks), No. 245, April, 60 (TP 66).
Polymers
hardness of, penetration tester for measuring (Gardiner, Jordan, and Adams), No. 246, May, 38 (TP 98).
new, —new problems (Mark) (33rd Marburg lecture), No. 245, April, 31.
President's Address
international aspects of ASTM (LaQue), No. 247, July, 7.
Publications
to be published by ASTM in 1960–1961, No. 249, Oct., 12.
Punch Card
handling of atmospheric data (Ailor and Hodgson), No. 250, Dec., 45 (TP 223).

R

Radiation
solar, use of the Langley for measuring (Caryl), No. 243, Jan., 55 (TP 13).
Refractory Metals
high-temperature, vacuum equipment for treatment of (Feild and Peckham), No. 244, Feb., 34 (TP 38).
tungsten powder, particle size and distribution (Michaels, Weaver, and Nelson), No. 247, July, 74 (TP 140).
Resins
epoxy, encapsulating, compatibility of with magnet wire insulations (Lee), No. 247, July, 69 (TP 135).
Rheology
of elastomers, at low temperatures (Boor, Hanok, Conant, and Scoville), No. 246, May, 25 (TP 85).
Roughness Factor
of small steel disk, measurement of (Begovich), No. 248, Sept., 56 (TP 166).
Rubber
and other elastomeric vulcanizates, method for classifying (Catton, Edwards, and Loring), No. 243, Jan., 69 (TP 27).

S

Sand
permeability of, stabilized with chemical grout (Dorion, Burkhard, and White), No. 250, Dec., 34 (TP 212).
relative density of, measurement (Kitago and Kozaki), No. 248, Sept., 36 (TP 150).
standard Ottawa, test method for air-entrainment of (DeFore and Corah), No. 248, Sept., 48 (TP 162).
Science
improving, in secondary education (Shobert), No. 246, May, 7 (ACR notes).
Sheet Materials
high-strength, fracture testing of (report of special ASTM committee) No. 243, Jan., 29; No. 244, Feb., 18.
Sodium
movement of, in portland cement (Hall and Rhodes), No. 245, April, 66 (TP 72).
Standardization
and the purchaser (Brunberg), No. 249, Oct., 6.
larger U. S. effort in international (Scott), No. 249, Oct., 10.
Standards
ASTM, for highway materials (Hveem), No. 249, Oct., 8.
sound, stimulate manufacturing (McCoy) No. 248, Sept. 5.
Steel
SAE 4340, low-temperature tensile-hardness correlations (Nunes and Larson), No. 249, Oct., 25 (TP 169).
Straightness
of fine wire, apparatus for measuring (Nelson and Rhodes), No. 244, Feb., 56 (TP 60).
Stress-Cracking
environmental, of polyethylene, measurement of (Rudin and Birks), No. 245, April, 60 (TP 66).
Strontium Oxide
in portland cement, gravimetric determination of (Ford), No. 245, April, 71 (TP 77).
Sulfur Dioxide
at atmospheric corrosion sites, measurement of (Sereda), No. 246, May, 47, (TP 107).

T

Tensile Strength
SAE 4340 steel, low-temperature, correlation with hardness (Nunes and Larson), No. 249, Oct., 25 (TP 169).
Tension Testing
machining of notched specimens for (March, Ruprecht, and Reed), No. 244, Feb., 52 (TP 56).
impact properties of metals (Steidel and Makerov), No. 247, July, 57 (TP 123).
Tex System
designation of yarn number, introduction of, No. 247, July, 48.
Thermal Stability
of disiloxane-base hydraulic fluids, determination of (Willard), No. 249, Oct., 52 (TP 196).
Titanium
design criteria for 6Al-4V alloy (Childs and Lemcoe), No. 246, May, 41 (TP 101).
Tungsten
powder, particle size and distribution, effect of dispersion techniques (Michaels, Weaver, and Nelson), No. 247, July, 74 (TP 140).
Vacuum
equipment for high-temperature treatment of reactive and refractory metals (Feild and Peckham), No. 244, Feb., 34 (TP 38).
fatigue testing machine, high-temperature axial (Stephens and Sinclair), No. 249, Oct., 44 (TP 188).
Vinyl
plastics, accelerated aging of, (Royen), No. 243, Jan., 43 (TP 1).
Viscometer
capillary, alignment block and clamp for (Robinson), No. 245, April, 69 (TP 75).
modified MacMichael, to determine consistency of printing inks and ink vehicles (Cummings), No. 250, Dec., 49 (TP 227).

W

Water
Old Wine in New Bottles, a new look at the substance, water (Clarke) No. 243, Jan., 17.
Wear
carbon brushes, in an atmosphere containing silicone vapor, technique for measuring (Axelson and Precopio), No. 244, Feb., 40 (TP 44).
resistance of plastics, testing (Boor), No. 244, Feb., 43 (TP 47).
Weatherability
coating grade asphalts, prediction from asphaltene characteristics (Mertens), No. 250, Dec. 40 (TP 218).
Wire
straightness of, apparatus for measuring (Nelson and Rhodes), No. 244, Feb., 56 (TP 60).
Writing
technical, the labor of (Smith), No. 250, Dec., 12. (ACR notes).

Y

Yarn Number
introduction of the tex system, for designating, No. 247, July, 48.